

## Computer Graphics - Exercise 2

### 3.1.1

(a)

The more obtuse the triangle, the more acute the angle of the corner of the voronoi area gets. Because the both sides of this corner has to be in a  $90^\circ$  angle to the sides of the triangle.

(b)

The formula for calculating the surface of a triangle is:  $\frac{1}{2} * h * b$  As for the red triangle:  $\frac{1}{2} * h * b$  We define:  $h = \frac{\|\underline{p}_i - \underline{p}_j\|}{2}$  and  $b = b_1 + b_2$  where  $b_1$  is left part of the baseline facing  $\alpha_{ij}$  and  $b_2$  is the right one facing  $\beta_{ij}$ . In addition we define the vertex of the triangle facing  $\alpha_{ij}$  to be  $A$  and the vertex of the triangle facing  $\beta_{ij}$  to be  $B$ . The distance between  $p_i$  and  $A$  ( $R$ ) is equal to  $\frac{\|\underline{p}_i - \underline{p}_j\|}{2 \sin(\alpha_{ij})}$ . It can be assumed that the angle  $\underline{p}_S \underline{A} \underline{p}_i = \alpha_{ij}$  with  $p_S$  as the vertex where the red triangle crosses the edge from  $\underline{p}_i$  to  $\underline{p}_j$ . As a result it can be assumed that  $\cos(\alpha_{ij}) = \frac{b_1}{R}$  and also  $b_1 = \cos(\alpha_{ij}) \times R$  As a result the surface of the left part of the red triangle can be calculated:

$$\begin{aligned} A_\alpha(i, j) &= \frac{1}{2} \times b_1 \times \frac{\|\underline{p}_i - \underline{p}_j\|}{2} \\ A_\alpha(i, j) &= \frac{1}{4} \times \cos(\alpha_{ij}) \times R \times \|\underline{p}_i - \underline{p}_j\| \\ A_\alpha(i, j) &= \frac{1}{4} \times \frac{\cos(\alpha_{ij})}{2 \times \sin(\alpha_{ij})} \times R \times \|\underline{p}_i - \underline{p}_j\|^2 \\ A_\alpha(i, j) &= \frac{1}{8} \times \cot(\alpha_{ij}) \times R \times \|\underline{p}_i - \underline{p}_j\|^2 \end{aligned}$$

The same goes for the right side and as a result if we combine both:

$$\begin{aligned} A(i, j) &= \frac{1}{8} \times \cot(\alpha_{ij}) \times R \times \|\underline{p}_i - \underline{p}_j\|^2 + \frac{1}{8} \times \cot(\beta_{ij}) \times R \times \|\underline{p}_i - \underline{p}_j\|^2 \\ A(i, j) &= \frac{1}{8} \times (\cot(\alpha_{ij}) + \cot(\beta_{ij})) \times R \times \|\underline{p}_i - \underline{p}_j\|^2 \end{aligned}$$

If we sum up all the triangles  $T$  with the index  $j$  of the voronoi-area this is the result:

$$\begin{aligned} A_{\text{voronoi-area}}(i) &= \sum_{j \in T(i)} \frac{1}{8} \times (\cot(\alpha_{ij}) + \cot(\beta_{ij})) \times R \times \|\underline{p}_i - \underline{p}_j\|^2 \\ A_{\text{voronoi-area}}(i) &= \frac{1}{8} \times \sum_{j \in T(i)} (\cot(\alpha_{ij}) + \cot(\beta_{ij})) \times R \times \|\underline{p}_i - \underline{p}_j\|^2 \end{aligned}$$

### 3.1.2

#### (a)

We know every vertex( $v$ ) has three edges( $e$ ) and 2 faces( $f$ ). In addition every edge( $e$ ) can be separated into two half edges ( $e_h$ ), this means  $e_h = 2 * e = 6 * v$ .

If we add the memory for every part it results in a formula:

$$\begin{aligned}\text{memory} &= v * 16\text{bytes} + e * 4\text{bytes} + e_h * 16\text{bytes} + f * 4\text{bytes} \\ &\rightarrow \text{through assumptions:} \\ \text{memory} &= v * (16 + 3 * 4 + 6 * 16 + 2 * 4)\text{bytes} = v * 132\text{bytes}\end{aligned}$$

#### (b)

Because in a quad mesh two triangles are combined into one quad, the resulting faces will be reduced by a half. The resulting ratio will be 1:3:1 (for  $v : e : f$ )

#### (c)

We know every vertex( $v$ ) has three edges( $e$ ) and one face( $f$ ). In addition every edge( $e$ ) can be separated into two half edges ( $e_h$ ), this means  $e_h = 2 * e = 6 * v$ .

If we add the memory for every part it results in a formula:

$$\begin{aligned}\text{memory} &= v * 16\text{bytes} + e * 4\text{bytes} + e_h * 16\text{bytes} + f * 4\text{bytes} \\ &\rightarrow \text{through assumptions:} \\ \text{memory} &= v * (16 + 3 * 4 + 6 * 16 + 1 * 4)\text{bytes} = v * 132\text{bytes}\end{aligned}$$